



HYDROGEN PEROXIDE 30%

Safety Data Sheet

Revision date: September 6, 2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : HYDROGEN PEROXIDE 30%
Product form : Mixture
Product code : RL-HYD02

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Water Treatment

1.3. Details of the supplier of the safety data sheet

Triton Chemical
21365 Hamburg Ave.
Lakeville, MN 55044
Phone: (877) 437-3478
Email: infoTriton@tritonchem.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

<u>Hazard Code</u>	<u>Hazard Class</u>	<u>Hazard Category</u>
H272	Oxidizing liquids/solids	2
H302	Acute toxicity, oral	4
H314	Skin corrosion/irritation	1B
H402	Hazardous to the aquatic environment, acute toxicity	3

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICES

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



Signal Word (GHS-US): **Danger**

Hazard Statements (GHS-US):

H272: May intensify fire; oxidizer
H302: Harmful if swallowed
H314: Causes severe skin burns and eye damage
H402: Harmful to aquatic life

Precautionary statements (GHS-US):

P210: Keep away from heat/sparks/open flames/hot surfaces. -No smoking.
P220: Keep/Store away from clothing/combustible materials
P221: Do not allow contact with air
P260: Do not breathe dust/fumes/gas/mist/vapors/spray
P264: Wash thoroughly after handling
P270: Do not eat, drink or smoke when using this product
P273: Avoid release into the environment
P280: Wear protective gloves/protective clothing/eye protection/face protection
P370+378: In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction
P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P363: Wash contaminated clothing before reuse
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

HYDROGEN PEROXIDE 30%

Safety Data Sheet

P310: Immediately call a POISON CENTER or doctor/physician

P321: Specific treatment (see SECTION 4)

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P330: Rinse mouth

P405: Store locked up

P501: Dispose of contents/container in accordance with local, state and federal authorities.

2.3. Other hazards

This product decomposes to release oxygen which supports combustion.

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	CAS #	%
Hydrogen Peroxide	7722-84-1	30

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Use artificial respiration and oxygen if needed. If irritation persists, seek medical attention.

First-aid measures after skin contact : IF ON SKIN: Immediately rinse with plenty of water (for at least 15 minutes). If irritation persists, seek medical attention.

First-aid measures after eye contact : IF IN EYES: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). If irritation persists, seek medical attention.

First-aid measures after ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. Harmful if swallowed.

Symptoms/injuries after inhalation : May cause headache, nausea and irritation of respiratory tract.

Symptoms/injuries after skin contact : Highly corrosive to skin.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Severe irritation or burns to mouth, throat, esophagus and stomach. Harmful if swallowed.

Chronic symptoms : No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide. Dry powder. Water spray.

5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable.

Explosion hazard : Product is not explosive.

Reactivity : No dangerous reactions known under normal conditions of use. However, this product decomposes to release oxygen which supports combustion.

5.3. Advice for firefighters

Firefighting instructions : Do not dispose of fire-fighting water in the environment. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

HYDROGEN PEROXIDE 30%

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

6.1.1. For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Approved supplied-air respirator, in case of emergency. Wear suitable protective clothing, gloves and eye or face protection.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Or Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Keep away from sources of heat and ignition - No smoking. Do not breathe mists. Wear proper safety equipment including chemically resistant gloves and safety glasses or goggles. Use with adequate ventilation. Wash thoroughly after handling. Do not get in eyes or on skin. Do not swallow.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : heat sources. Keep container tightly closed. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Due to product decomposing and releasing oxygen – if product is transferred to a secondary container make sure the container is properly vented. Keep separate from incompatible materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No OSHA and ACGIH PEL's or TLV's for the listed ingredients of this product unless stated below:

Hydrogen Peroxide, CAS# 7722-84-1			
OSHA PEL (TWA) ppm - if units not stated	OSHA PEL (STEL) ppm - if units not stated	OSHA PEL (Ceiling) ppm - if units not stated	ACGIH-TLV
1 ppm / 1.4 mg/m ³	Not Established	Not Established	1 ppm

8.2. Exposure controls

Personal protective equipment : Protective safety glasses or goggles. Chemically resistant gloves. Protective clothing. Possibly a face shield and or respiratory protection of the dependent type.

Hand protection : Chemical resistant gloves.

Eye protection : Use chemical resistant safety glasses or goggles. A face shield should be worn when the possibility exists for eye or face contact due to spraying liquid or airborne particles.

Skin and body protection : Wear long sleeves. Wear suitable protective clothing. Possibly a face shield.

Respiratory protection : Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear liquid.

HYDROGEN PEROXIDE 30%

Safety Data Sheet

Color	: No data available
Odor	: No data available.
Odor Threshold	: No data available
pH	: 2.0
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.11
Solubility	: Complete solubility in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is classified as oxidizing with the category 2.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with reactive metals (e.g. aluminum) may result in the generation of hydrogen gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7). However it does decompose to release oxygen.

10.3. Possibility of hazardous reactions

Corrosive in contact with metals. Contact with metallic substances may release flammable hydrogen gas. Contact with strong Bases will cause excessive heat and splattering.

10.4. Conditions to avoid

light, ignition sources, metals, excess heat

10.5. Incompatible materials

Zinc, Powdered metals, Iron, Copper, Nickel, Brass, Iron and iron salts.

10.6. Hazardous decomposition products

Thermal decomposition may generate : Oxygen (which supports combustion).

Other decomposition products : No data available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Oral LD50: > 2,000 mg/kg (rat) Calculated

Dermal LD50: > 2,000 mg/kg (rabbit) Calculated

Inhalation LC50: No Data

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Hydrogen Peroxide CAS# 7722-84-1: IRAC Group 3: Not classifiable as to its carcinogenicity to humans
Reproductive toxicity	: Not classified

HYDROGEN PEROXIDE 30%

Safety Data Sheet

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : See Section 4.

Symptoms/injuries after skin contact : See Section 4.

Symptoms/injuries after eye contact : See Section 4.

Symptoms/injuries after ingestion : See Section 4.

Chronic symptoms : No data available.

SECTION 12: Ecological information

12.1. Toxicity

Fishes, Pimephales promelas, LC50, 96 h, 16.4 mg/l

12.2. Persistence and degradability

No Data

12.3. Bioaccumulative potential

No Data

12.4. Mobility in soil

No Data

12.5. Other adverse effects

No Data

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

SECTION 14: Transport information

14.1. UN number, proper shipping name, class and packaging group.:

Domestic Ground Shipments

UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (with less than 20 percent but not more than 40 percent hydrogen peroxide), 5.1 (8), II

14.2. Additional information

SECTION 15: Regulatory information

15.1. US Federal regulations

TSCA Inventory: The components of this product are listed.

SARA Section 311/312, Hazard Category (40CFR 370.2): Acute and Chronic health hazard, Reactivity Hazard.

SARA Section 313, Toxic Release Reporting (40CFR Part372): No listed substance over 1.0% or over 0.1% that are also carcinogenic.

SARA Section 302, EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0%.

SARA Section 304, EHS Release Reporting (40CFR Part 355): No listed substance known over 1.0%.

CERCLA Section 102-103 HS Release Reporting (40 CFR par302-102a): No listed substance known over 1.0%.

15.2. International regulations

No Data

15.2.2. National regulations

No Data

15.3. US State regulations

California Prop. 65:

Approximate quantities by weight

No listed substances known.

SECTION 16: Other information

:

HYDROGEN PEROXIDE 30%

Safety Data Sheet

Other information : None.

NFPA health hazard : 3

NFPA fire hazard : 0

NFPA reactivity : 1

HMIS III Rating

Health : 3

Flammability : 0

Physical : 1

Personal Protection :

The information contained herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.